

The Development of a Minimum Data Set for an Infertility Registry

by Masoumeh Abbasi, MSc, PhD; Leila Ahmadian, PhD; Malihe Amirian, MD; Hamed Tabesh, PhD; and Saeid Eslami, PharmD, PhD

Abstract

Effective decision making in the healthcare setting is highly dependent on access to reliable and robust data and information. A minimum data set is a standard assessment instrument that is used during the data collection process to ensure that decision makers have access to a consistent set of information. The objective of the current study was to develop a minimum data set for infertility patients that can be employed as the basis for an infertility registry in Iran. A systematic review resulted in the identification of 2,501 articles and 17 patient forms from infertility centers that were relevant to the study objectives. Of these, 10 articles met all the inclusion and exclusion criteria, and 232 data elements were subsequently extracted from these papers. The data elements were classified by three experts and validated via two rounds of a Delphi technique. The accessibility of the data elements was then evaluated during a focus group discussion. Finally, 146 data elements were selected as the minimum data set. The proposed minimum data set could provide the basis for standardization of infertility treatments. Synchronizing the various data sets that are currently in use will be necessary to allow sharing of data across infertility registries.

Keywords: common data elements; registries, infertility; assisted reproductive techniques

Introduction and Background

Infertility is a considerable health challenge in developing countries¹ and is associated with poor mental and social outcomes.² Depression, fear of divorce, remarriage, high treatment costs, and fear of uncertainty about the treatment outcomes are just some of the challenges that people who are suffering from infertility experience.³⁻⁶ According to the World Health Organization (WHO), one in four married couples in developing countries encounter infertility problems.⁷ In Iran, fertility problems are experienced by 20.2 percent of couples (19.9 percent in urban areas and 22 percent in rural areas).⁸

A range of therapeutic methods of treating infertility are available, such as intrauterine insemination (IUI), in vitro fertilization (IVF), and intracytoplasmic sperm injection (ICSI), and their application varies according to the cause of infertility. The interventions that are currently in use are costly and have negative side effects. Therefore, they should be utilized only if the chance of successful treatment is significant. Various models have been created to predict the likelihood of a successful pregnancy following medical intervention.⁹ When creating a predictive model, it is important to ensure that the data are accurate, complete, and aligned with the clinical goals.¹⁰ Decision makers who are responsible for the implementation of clinical and managerial healthcare policy rely on the availability of data and key information.¹¹

One of the main objectives of data collection is to access information that can be employed to conduct an assessment of the available therapeutic interventions. In the case of infertility interventions, the final analysis of the likelihood of successful treatment is affected by the extent to which the available data are valid and comprehensive.¹² For example, the growing effectiveness of assisted reproductive technology (ART) in relation to human reproduction is demonstrated by data on the efficacy and safety of such methods. Data on the safety of therapeutic methods and their outcomes are of significance to all stakeholders, including patients, healthcare planners, investigators, and ART centers.¹³

A minimum data set is recommended as a standard tool that can guide data collection.¹⁴ A minimum data set is a structure of information that is collated from different sources and is developed using definitions and procedures. This information facilitates the creation of a comprehensive database on a particular subject. A minimum data set can be used to standardize healthcare services in hospitals, nursing houses, and healthcare institutions. It can also be used to guide the data collection process that underpins a specific research study. Data based on a minimum data set can be used to assimilate broad views on healthcare policies.¹⁵ The recording of patient data elements improves the quality of healthcare and decreases costs.¹⁶ Patient registries are databases that often use a minimum data set to facilitate precise analysis.^{17, 18}

To the best of our knowledge, a minimum data set has not yet been developed for infertility in Iran. The objective of the current study was to develop a minimum data set for infertility as a means of establishing an infertility registry in Iran that could expedite the collection of reliable and detailed data from patients who have been referred to infertility centers.

Methods

This descriptive, cross-sectional study was conducted in 2016. The infertility minimum data set was developed via a four-stage process:

1. Systematic review
2. Classification of the data elements
3. Validation of the data elements using the Delphi technique
4. Determination of the accessibility of data elements using focus group discussion

Systematic Review

A systematic review was conducted using sources from the PubMed, ScienceDirect, Scopus, Embase, Web of Science, IEEE Xplore, and Google Scholar databases. A keyword search of these databases was performed using words related to the concepts of minimum data set or infertility registry (**dataset, dataset as topic, common data element, registries**, minimum dataset) and keywords relating to infertility (**in vitro fertilization, artificial insemination, intrauterine insemination, intracytoplasmic sperm injections, assisted reproductive technique, infertility**). Keyword MeSH terms are shown in bold. The websites of infertility institutions were also searched for patient forms. Both searches were performed in the second week of June 2016. Databases were screened for English articles only without any limitation on time and type of study. The keywords and references of the articles identified during the initial search were also considered as a means of identifying additional keywords and other relevant articles (see Table 1).

The electronic database search was performed by one reviewer. The titles and abstracts of all articles were screened by two reviewers to identify articles that were relevant to the research objectives. One of these reviewers was the same person who conducted the initial database search. The full text of the articles was then assessed to ensure that the inclusion and exclusion criteria for the study were met. Data extraction was facilitated with the use of a checklist that contained the study objectives, setting, type of study, data sources, data collection methods (computer- or paper-based), main classification, and data elements. Patient forms were downloaded from the websites of the infertility institutions. The data elements were extracted from the forms and related articles, and duplicate items were deleted.

The inclusion criterion were all articles published in English that focused on the establishment of infertility registries and the development of an infertility minimum dataset, and patient forms from infertility institutions. Studies that reported registry data analysis without identifying the data elements were excluded. Seminar abstracts, letters to the editor, theses, dissertations, and position papers were also excluded.

Classification of the Data Elements

The articles identified during the first stage of the research employed various classifications of the data elements. Therefore, the classification applied to the extracted data elements was determined via separate two-hour meetings with three infertility experts. With all three experts' opinions taken into account, any classifications that the experts believed were not practical were omitted.

Validation of the Data Elements Using the Delphi Technique

The data elements were validated using two rounds of the Delphi technique. A two-column checklist was developed for the first round. The first column recorded whether each data element would be deleted or retained from the data set, while the second ranked the item according to the degree of importance based on a five-point Likert scale, ranging from low importance (1) to high importance (5). At the end of each classification, a row was provided for the data elements suggested by the experts (see Appendix 1). The concept of a minimum data set was explained to the participants, and they were asked to score the checklist elements based on the following question: "Do you think this data element is essential for an evaluation of an infertility patient's therapeutic status and to make a decision as to the appropriate treatment intervention?"

The level of agreement was considered to be a criterion for the acceptance of the data elements. Elements that were scored 4 or 5 by at least 50 percent of the experts were considered for inclusion in the minimum data set. Elements that received a score of 1 or 2 from at least 50 percent of the experts were excluded. The remaining elements were entered into the second round of the Delphi technique.

The same checklist that was used in the first round of the Delphi technique was used in the second round with one minor change: the data element suggestion row was removed. The results of the first-round analysis were given to the experts, and they were asked to determine the score for each data element listed in the checklist. Similar to the procedure followed in round 1, elements that received a score of 4 or 5 by at least 50 percent of the experts were considered for inclusion in the minimum data set. The remaining elements were disregarded.

Each round of the Delphi technique lasted four weeks. Both checklists were presented to the experts in person. The experts were blind to the scores given by the other experts. Similar scores were given to the response by the experts.

Accessibility of Data Elements Using Focus Group Discussion

To evaluate the accessibility of the proposed minimum data set, a focus group discussion was held with five experts as a means of obtaining their opinions on the recommended minimum data set. The focus group provided the experts with an opportunity to discuss and compare experiences.¹⁹ This session lasted two hours.

Results

Systematic Review

A total of 2,501 articles were obtained from different databases. After we excluded duplicate articles and reviewed the titles and abstracts of those initially identified, 66 articles were selected for the final survey. After the application of the study inclusion and exclusion criteria, 10 of these articles were considered for extraction of data elements. A further article was identified during an evaluation of the references contained in the shortlisted articles;²⁰ however, it did not meet the inclusion criteria. A total of 17 patient forms were extracted from the International Committee Monitoring Assisted Reproductive Technologies (ICMART),²¹ the Infertility Family Research Registry (IFFR),²² the Society for Assisted

Reproductive Technology (SART),²³ and the IVF/ICSI forms of the National Health Service (NHS) of England and infertility centers.²⁴ The patient form search continued until no new data elements were identified. A total of 232 data elements were identified on the forms and within the shortlisted articles. The details of these are provided in Figure 1.

Of the 10 shortlisted articles, the classifications and data elements were completely described in four articles,^{25–28} and these articles explained the method of determining the data elements that should be included on a registry.^{29–31} Only one of the related articles described the development of a minimum data set for infertility.³² Four articles focused on IVF registry,^{33–36} four on infertility and ART registry,^{37–40} and one on the aspects of reproduction.⁴¹ The characteristics of the 10 included articles are summarized in Table 2.

Classification of the Data Elements

The demographic data of the study participants is presented in Table 3. The potential participants consisted of 19 gynecologists and infertility experts from two private infertility centers and one academic infertility center. However, six gynecologists and infertility experts did not participate in the study. Thus, 13 experts contributed. Of these, all 13 (68 percent) participated in the first round of the Delphi survey, and nine (47 percent) participated in the second round.

During the sessions with three experts, five classifications were identified: *General Information*, *Patient History*, *Paraclinical Reports*, *Treatment Plan (IVF/ICSI, IUI, IO)*, and *Treatment Outcome*. The *Lifestyle* and *Psychological* classifications, in addition to their data elements (20 of the 232 data elements), were removed on the basis of the experts' opinions.

Validation of the Data Elements Using the Delphi Technique

A total of 212 final data elements were included in the Delphi survey. Of these, 141 data elements were approved in the first round, and 30 were rejected. A total of 41 data elements progressed to the second round of the Delphi survey. Of these, 36 were approved in round 2. Thus, on completion of the survey, 177 data elements were approved. Figure 2 contains a flowchart showing the process by which the elements to be included in the data set were determined.

Determination of the Accessibility of Data Elements Using Focus Group Discussion

In the focus group discussion, 31 data elements were removed by the experts to ensure accessibility of the data set. The final minimum data set included 146 data elements. The classification of these data elements is presented in Table 4.

Discussion

According to the results of the study, 146 data elements were identified and subsequently categorized into the *General Information*, *Patient History*, *Paraclinical Reports*, *Treatment Plan (IVF/ICSI, IUI, IO)*, and *Treatment Outcome* classifications as a minimum data set for the purpose of establishing an infertility registry in Iran. At present, there is no consistency in terms of the availability of resources and facilities used to treat infertility between developed and developing countries. Therefore, a minimum data set that was created in a developed country would not apply to a developing one. The minimum data set developed in the current study provides a mechanism by which information can be standardized and exchanged between infertility registries.

To ensure the inclusion of all relevant data elements, a systematic review was conducted before the experts were consulted to gauge their opinion. Hence, the new data elements were not suggested by the experts during round 1 of the Delphi. In total, 68 percent of the experts from three private and academic infertility institutions participated in the first round of the Delphi technique. It was assumed that the experts agreed to participate because they recognize the need for data recording systems, the standardization of patient care forms, better treatment follow-up, and access to reliable data for research purposes. Essentially, measuring change over time represents the golden key to health monitoring.⁴²

The minimum data set developed in the current study included the demographic characteristics of the patients, medical history, laboratory test results, diagnosis, and treatment. No complete data on pregnancy outcomes and no data on treatment complications were included in the final minimum data set, with the exception of those items that relate to patients' referral back to the infertility center for treatment, which is recorded in the medical history. Data on labor, such as delivery week, infant's birth weight, type of delivery, and treatment complications, were not included in the minimum data set for infertility. This decision was based on the consensus of the respondents who attended the focus group discussion and was according to the accessibility criteria. Usually, patients continue to attend the infertility center until the point at which fetal heart activity is registered. Thereafter, they are referred to private or academic centers to receive prenatal care. If a birth registration system were in place, it could potentially be linked with the data in the minimum data set via the patient's national identifying code. Although a cumulative delivery rate has been referred to as the gold standard for successful infertility treatment,⁴³ exact information of this type is not currently available. Therefore, despite the significance of live and stillbirth data elements, these data elements were excluded from the minimum data set.

An international data element of "clinical pregnancy" can be employed to assess the effectiveness of infertility treatment;⁴⁴ therefore, this data element was included in the infertility minimum data set. Treatment complications were considered in 3 of the 10 included articles.⁴⁵⁻⁴⁷ Also, the South Africa ART registry reported that patients ceased being referred to infertility centers after the registration of pregnancy (fetal heartbeat).⁴⁸

The *Lifestyle* and *Psychological* classifications, in addition to their data elements, were removed after the sessions with the three experts. These two classifications and their associated data elements were not included in any of the 10 related articles. The extent to which the data elements complied with the accessibility criteria were evaluated during the focus group discussions. One of the characteristics of data quality was the accessibility of data. This means that data elements should be easily acquirable and can be legally collected.^{49,50} According to the World Health Organization, accessibility plays a significant role in the development of healthcare services.⁵¹ Data collection is costly and time consuming.⁵² Therefore, the accessibility of data elements was assessed because accessibility is important for minimizing missing data and accelerating data collection. Accessibility criteria were not evaluated in any of the 10 selected articles.

In the current study, three different methods were used to develop the minimum data set: individual sessions with experts, a Delphi technique, and a focus group discussion. Experts from three different infertility centers participated in the study, and coordination between them was difficult. Hence, it was not possible to hold several focus group discussions. The Delphi technique facilitated the process by which information was shared among specialists from different geographical areas. The Delphi technique is a structured, iterative method through which the approval and consensus of experts in related fields is sought.⁵³ Therefore, we used this technique to determine which elements would be included in the minimum data set. We then needed to assess the extent to which the minimum data set was accessible. To decide which data elements should be collected by all infertility centers, experts from all three infertility centers discussed and finalized the data set during a focus group discussion. During this process, a distinct emphasis was placed on interaction among group members.⁵⁴

The current study has some limitations. First, the opinions and evaluations that were employed to finalize the data set were derived from experts from only one city. This city is the second most populated city in Iran. Nevertheless, the minimum data set developed in the current study could be updated by specialists in other cities to develop infertility registries therein. Second, the infertility registries employ different terms to describe aspects of infertility. Therefore, after we initially searched for and reviewed related keywords, the search strategy was modified, and new keywords were added. This process led to the inclusion of registries and a minimum data set for the different infertility treatments in the second search. An additional minimum data set is necessary for prenatal care and pediatric care to capture data on the outcomes and effectiveness of infertility treatments. Therapeutic protocols and effective parameters for diagnosis and treatment may be changed. Thus, the minimum data set developed for infertility in the current study should be updated in the future.

Conclusion

The minimum data set developed for infertility in the current study could potentially pave the way for the development of a standardized approach to treating patients with infertility. At a minimum, it offers a means by which the different data sets that are currently used in different fertility registers can be combined into a single data set. The ability to assess infertility treatment and associated outcomes with respect to mothers and infants is facilitated by the current minimum data set. Developing an infertility registry using this minimum data set could help to generate higher-quality data that would lead to better clinical decisions.

Acknowledgments

This study was part of the first author's PhD dissertation, which was supported by a grant from Mashhad University of Medical Sciences. We would like to thank all experts from the three infertility centers who participated in the study and played a role in the validation of the data elements. We would also like to thank Mahdi Mohammadi, who contributed as a second reviewer.

Masoumeh Abbasi, MSc, PhD, is a medical informatics specialist in the Department of Medical Informatics in the School of Medicine at Mashhad University of Medical Sciences in Mashhad, Iran.

Leila Ahmadian, PhD, is an associate professor of medical informatics in the Research Center of the Institute for Future Studies in Health at Kerman University of Medical Sciences in Kerman, Iran.

Malihe Amirian, MD, is an associate professor of obstetrics and gynecology and holds a fellowship in infertility in the School of Medicine at Mashhad University of Medical Sciences in Mashhad, Iran.

Hamed Tabesh, PhD, is an assistant professor of biostatistics in the Department of Medical Informatics in the School of Medicine and manager of the Health Information Technology Center at Mashhad University of Medical Sciences in Mashhad, Iran.

Saeid Eslami, PharmD, PhD, is an associate professor of medical informatics in the Department of Medical Informatics in the School of Medicine and the Pharmaceutical Research Center at Mashhad University of Medical Sciences in Mashhad, Iran and a researcher in the Department of Medical Informatics in the Academic Medical Center at University of Amsterdam in Amsterdam, the Netherlands..

Notes

1. Zhang, H., S. Wang, S. Zhang, T. Wang, and X. Deng. "Increasing Trend of Prevalence of Infertility in Beijing." *Chinese Medical Journal* 127, no. 4 (2014): 691–95.
2. Iliyasu, Z., H. S. Galadanci, I. S. Abubakar, F. M. Bashir, H. M. Salihu, and M. H. Aliyu. "Perception of Infertility and Acceptability of Assisted Reproduction Technology in Northern Nigeria." *Nigerian Journal of Medicine* 22, no. 4 (2013): 341–47.
3. Wiersema, N. J., A. J. Drukker, B. T. Mai, H. N. Giang, T. N. Nguyen, and C. B. Lambalk. "Consequences of Infertility in Developing Countries: Results of a Questionnaire and Interview Survey in the South of Vietnam." *Journal of Translational Medicine* 4 (2006): 54.
4. Dyer, S. J., and M. Patel. "The Economic Impact of Infertility on Women in Developing Countries—a Systematic Review." *Facts, Views & Vision in ObGyn* 4, no. 2 (2012): 102–9.
5. Harvard Mental Health Letter. "The Psychological Impact of Infertility and Its Treatment." May 2009. Harvard Health Publication. Available at https://www.health.harvard.edu/newsletter_article/The-psychological-impact-of-infertility-and-its-treatment.
6. Van Balen, F., and H. M. W. Bos. "The Social and Cultural Consequences of Being Childless in Poor-Resource Areas." *Facts, Views & Vision in ObGyn* 1, no. 2 (2009): 106–21.
7. "Sexual and Reproductive Health." World Health Organization. Available at <http://www.who.int/reproductivehealth/topics/infertility/burden/en/>.
8. Akhondi, M. M. (2015). Fertility status in Iran. International Congress on Obstetrics and Gynecology, Tehran, Iran. "Speech of Deputy of Research and Technology, Ministry of Health and Medical Education at the Opening of Obstetrics and Gynecology Congress." 2015.
9. McLernon, D. J., et al. (2014). "Clinical prediction models to inform individualized decision-making in subfertile couples: a stratified medicine approach." *Hum Reprod* 29(9): 1851-1858.."
10. Royston, P., K. G. Moons, D. G. Altman, and Y. Vergouwe. "Prognosis and Prognostic Research: Developing a Prognostic Model." *British Medical Journal* 338 (2009): b604.
11. Wager, K. A., F. W. Lee, and J. P. Glaser. "Health Care Data Quality." In *Health Care Information Systems: A Practical Approach for Health Care Management*. San Francisco, CA: Jossey-Bass, 2009, 41–60.
12. Germond, M., D. Wirthner, and A. Senn. "Core Data for Assisted Reproductive Technology Registers: Results of a Consensus Meeting." *Reproductive Biomedicine Online* 17, no. 6 (2008): 834–40.
13. Dyer, S. J., and T. F. Kruger. "Assisted Reproductive Technology in South Africa: First Results Generated from the South African Register of Assisted Reproductive Techniques." *South African Medical Journal* 102, no. 3 (2012): 167–70.
14. Abdelhak, M., S. Grostick, and M. A. Hanken. *Health Information: Management of a Strategic Resource*. 3rd ed. St. Louis, MO: Elsevier, 2007.
15. Gould, D. J. "Minimum Data Set." In S. J. D. Loue and M. Sajatovic (Editors), *Encyclopedia of Aging and Public Health*. Boston, MA: Springer US, 2008.
16. Ahmadi, M., A. Mohammadi, R. Chraghbaigi, T. Fathi, and M. Shojaee Baghini. "Developing a Minimum Data Set of the Information Management System for

- Orthopedic Injuries in Iran.” *Iranian Red Crescent Medical Journal* 16, no. 7 (2014): e17020.
17. Gliklich, R. E., and N. A. Dreyer (Editors). *Registries for Evaluating Patient Outcomes: A User’s Guide*. 3rd ed. Rockville, MD: Agency for Healthcare Research and Quality, 2014.
 18. de Souza, M. P., and V. R. Miller, “Significance of Patient Registries for Dermatological Disorders.” *Journal of Investigative Dermatology* 132 (2012): 1749–52.
 19. McCann, L. J., J. J. Kirkham, L. R. Wedderburn, C. Pilkington, A. M. Huber, A. Ravelli, et al. “Development of an Internationally Agreed Minimal Dataset for Juvenile Dermatomyositis (JDM) for Clinical and Research Use.” *Trials* 16 (2015): 268.
 20. Tadir, Y., R. Kaplan-Kraicer, R. Kelly, R. Tepper, S. Amit, R. Toker, et al. “Practical and Informative Charts for in Vitro Fertilization and Embryo Transfer.” *Journal of In Vitro Fertilization and Embryo Transfer* 4, no. 6 (1987): 348–52.
 21. Nygren, K. G., F. Zegers-Hochschild, D. Adamson, J. de Mouzon, R. Mansour, O. Ishihara O, et al. *The ICMART Tool Box for ART Data Collection*. Palo Alto, CA: International Committee Monitoring Assisted Reproductive Technologies (ICMART), 2011.
 22. Infertility Family Research Registry. Available at <https://www.ifrr-registry.org/>.
 23. Society for Assisted Reproductive Technology. “What Are My Chances with ART?” Available at <https://www.sartcorsonline.com/Predictor/Patient>.
 24. National Health Service (England). *Application for Prior Approval for Funding N-SC037 IVF/ICSI*. 2016.
 25. Germond, M., D. Wirthner, and A. Senn. “Core Data for Assisted Reproductive Technology Registers: Results of a Consensus Meeting.”
 26. Rosenfeld, D. L., C. R. Garcia, W. Bullock, et al. “An Infertility Data Registry.” *Fertility and Sterility* 29, no. 1 (1978): 112–14.
 27. Guzick, D. S., J. Boles, and R. Schadle. “Data Base Management System for Assisted Reproduction.” *Journal of In Vitro Fertilization and Embryo Transfer* 7, no. 5 (1990): 236–40.
 28. Coetsee, J. L., T. F. Kruger, and D. Vine, “An Electronic Health Record for Infertility Clinics.” *South African Journal of Obstetrics and Gynaecology* 20, no. 1 (2014).
 29. Ibid.
 30. Gissler, M., and A. Tiitinen. “IVF Treatments and Their Outcomes in Finland in the 1990s.” *Acta Obstetrica et Gynecologica Scandinavica* 80, no. 10 (2001): 937–44.
 31. Mansour, M., Y. El-Faissal, and O. Kamal. “The Egyptian IVF Registry Report: Assisted Reproductive Technology in Egypt 2005.” *Middle East Fertility Society Journal* 19, no. 1 (2014): 16–21.
 32. Germond, M., D. Wirthner, and A. Senn. “Core Data for Assisted Reproductive Technology Registers: Results of a Consensus Meeting.”
 33. Gissler, M., and A. Tiitinen. “IVF Treatments and Their Outcomes in Finland in the 1990s.”
 34. Mansour, M., Y. El-Faissal, and O. Kamal. “The Egyptian IVF Registry Report: Assisted Reproductive Technology in Egypt 2005.”
 35. Westergaard, H. B., A. M. Tranberg Johansen, K. Erb, and A. Nyboe Andersen. “Danish National In-Vitro Fertilization Registry 1994 and 1995: A Controlled Study of Births, Malformations and Cytogenetic Findings.” *Human Reproduction* 14, no. 7 (1999): 1896–1902.
 36. Westergaard, H. B., A. M. Tranberg Johansen, K. Erb, and A. Nyboe Andersen. “Danish National IVF Registry 1994 and 1995. Treatment, Pregnancy Outcome and

- Complications During Pregnancy.” *Acta Obstetrica et Gynecologica Scandinavica* 79, no. 5 (2000): 384–89.
37. Dyer, S. J., and T. F. Kruger. “Assisted Reproductive Technology in South Africa: First Results Generated from the South African Register of Assisted Reproductive Techniques.”
 38. Rosenfeld, D. L., C. R. Garcia, W. Bullock, et al. “An Infertility Data Registry.”
 39. Guzick, D. S., J. Boles, and R. Schadle. “Data Base Management System for Assisted Reproduction.”
 40. Coetsee, J. L., T. F. Kruger, and D. Vine, “An Electronic Health Record for Infertility Clinics.”
 41. Blenstrup, L. T., and L. B. Knudsen. “Danish Registers on Aspects of Reproduction.” *Scandinavian Journal of Public Health* 39, no. 7, suppl. (2011): 79–82.
 42. Temmerman, M., L. B. Foster, P. Hannaford, A. Cattaneo, J. Olsen, K. W. Bloemenkamp, et al. “Reproductive Health Indicators in the European Union: The REPROSTAT Project.” *European Journal of Obstetrics & Gynecology and Reproductive Biology* 126, no. 1 (2006): 3–10.
 43. Germond, M., F. Urner, A. Chanson, M. P. Primi, D. Wirthner, and A. Senn. “What Is the Most Relevant Standard of Success in Assisted Reproduction? The Cumulated Singleton/Twin Delivery Rates per Oocyte Pick-Up: The CUSIDERA and CUTWIDERA.” *Human Reproduction* 19, no. 11 (2004): 2442–44.
 44. Germond, M., D. Wirthner, and A. Senn. “Core Data for Assisted Reproductive Technology Registers: Results of a Consensus Meeting.”
 45. Ibid.
 46. Coetsee, J. L., T. F. Kruger, and D. Vine, “An Electronic Health Record for Infertility Clinics.”
 47. Mansour, M., Y. El-Faissal, and O. Kamal. “The Egyptian IVF Registry Report: Assisted Reproductive Technology in Egypt 2005.”
 48. Dyer, S. J., and T. F. Kruger. “Assisted Reproductive Technology in South Africa: First Results Generated from the South African Register of Assisted Reproductive Techniques.”
 49. Wager, K. A., F. W. Lee, and J. P. Glaser. “Health Care Data Quality.”
 50. American Health Information Management Association (AHIMA). “Statement on Quality Healthcare Data and Information.” December 2007. Available at <http://bok.ahima.org/doc?oid=101304>.
 51. Ghaneie, M., A. Rezaie, N. R. Ghorbani, R. Heidari, M. Arjomandi, and M. Zare. “Designing a Minimum Data Set for Breast Cancer: A Starting Point for Breast Cancer Registration in Iran.” *Iranian Journal of Public Health* 42, no. 1 (2013): 66–73.
 52. Germond, M., D. Wirthner, and A. Senn. “Core Data for Assisted Reproductive Technology Registers: Results of a Consensus Meeting.”
 53. Booth, A., M. Clarke, D. Gherzi, D. Moher, M. Petticrew, and L. Stewart. “Establishing a Minimum Dataset for Prospective Registration of Systematic Reviews: An International Consultation.” *PLoS ONE* 6, no. 11 (2011): e27319.
 54. Ping, W. L. “Focus Group Discussion: A Tool for Health and Medical Research.” *Singapore Medical Journal* 49, no. 3 (2008): 256–61.

Table 1

Detailed Search Strategy

Database	Reference Type	Search Fields	No. of Returned Articles
PubMed	All References	Title/abstract	443
Embase	All References	Title/Abstract/Key words	114
Web of Science	All References	Topic	385
ScienceDirect	All References	TITLE-ABSTR-KEY	115
Scopus	All References	TITLE-ABS-KEY	1,047
IEEE Xplore	All References	MetaData and FullText	397

Table 2

Characteristics of the Selected Articles

First Author (Year)	Study Design	Setting	Source of Data	Method of Data Collection
Mansour et al. (2014)	Retrospective; cross-sectional survey	ART clinics	18 centers (This report covers about 80% of the Egyptian ART activities in 2005, which means that about 20% of the data are missing.)	The International Committee Monitoring Assisted Reproductive Technology (ICMART) developed the data collection forms. The forms were sent to each ART clinic practicing in Egypt by the Egyptian IVF registry. Data came directly to the Egyptian registry anonymously. Participation was voluntary.
Gissler and Tiitinen (2001)	Retrospective; cross-sectional survey	Public and private IVF clinics	19 clinics (7 public clinics and 12 private clinics)	Each year, all clinics providing IVF, intracytoplasmic sperm injection, and/or Frozen Embryo Transfer (FET) treatments receive 10-page data collection forms. All clinics returned completed questionnaires. The responsible data collector(s) checked the data collection forms and the final statistics. The clinics rechecked the forms for missing data and inconsistent information. The data collection was voluntary.

Guzick et al. (1990)	Development	IVF/GIFT clinic	Diverse origins; available to all staff members during a treatment cycle	Data are entered into the system on a series of nine input screens during the cycle. Data entry start with a “header” screen for background data and ends with a “notes” screen. On the network: data are entered at the site where they are created. On a single computer system: all of the data can be entered at the time of the completion of the cycle.
Blenstrup and Knudsen (2011)	Cross-sectional survey	Public and private fertility clinics	Public and private fertility clinics	1994–2005: paper-based form. 2005: electronic reporting in Medical Birth Register, Danish National Patient Register
Germond et al. (2008)	Cross-sectional survey	ART clinics	ART clinics	An international, four-level reporting system
Dyer and Kruger (2011)	Retrospective; cross-sectional survey	ART clinics	12 ART clinics	National data collection was started in a two-step process: In the first step, data collection was done using a Microsoft Excel spreadsheet (2009). In the second step, a software program was developed in collaboration with the Registro Latinoamericano de Reproduccion Asistida with the aim of online reporting of more data. Participation of centers was voluntary.
Rosenfeld et al. (1978)	Development	Hospital of the University of Pennsylvania	Hospital of the University of Pennsylvania	The physician completes the data abstract form. Information is recorded at the time

				of each visit or contact of patient.
Coetsee et al. (2014)	Development	Fertility clinics in South Africa	Infertility clinics	Web-based program
Westergaard et al. (1999)	Comparative, cross-sectional	Public and private fertility clinics	Nine private and six public clinics	Data from the IVF registry and cross-linking data to other registries
Westergaard et al. (2000)	Comparative, cross-sectional	Public and private fertility clinics	Nine private and six public clinics	Data from the IVF registry and cross-linking data to other registries

Abbreviations: ART, assisted reproductive technology; IVF, in vitro fertilization.

Sources:

- Mansour, M., Y. El-Faissal, and O. Kamal. "The Egyptian IVF Registry Report: Assisted Reproductive Technology in Egypt 2005." *Middle East Fertility Society Journal* 19, no. 1 (2014): 16–21.
- Gissler, M., and A. Tiitinen. "IVF Treatments and Their Outcomes in Finland in the 1990s." *Acta Obstetrica et Gynecologica Scandinavica* 80, no. 10 (2001): 937–44.
- Guzick, D. S., J. Boles, and R. Schadle. "Data Base Management System for Assisted Reproduction." *Journal of In Vitro Fertilization and Embryo Transfer* 7, no. 5 (1990): 236–40.
- Blenstrup, L. T., and L. B. Knudsen. "Danish Registers on Aspects of Reproduction." *Scandinavian Journal of Public Health* 39, no. 7, suppl. (2011): 79–82.
- Germond, M., F. Urner, A. Chanson, M. P. Primi, D. Wirthner, and A. Senn. "What Is the Most Relevant Standard of Success in Assisted Reproduction? The Cumulated Singleton/Twin Delivery Rates per Oocyte Pick-Up: The CUSIDERA and CUTWIDERA." *Human Reproduction* 19, no. 11 (2004): 2442–44.
- Dyer, S. J., and T. F. Kruger. "Assisted Reproductive Technology in South Africa: First Results Generated from the South African Register of Assisted Reproductive Techniques." *South African Medical Journal* 102, no. 3 (2012): 167–70.
- Rosenfeld, D. L., C. R. Garcia, W. Bullock, et al. "An Infertility Data Registry." *Fertility and Sterility* 29, no. 1 (1978): 112–14.
- Coetsee, J. L., T. F. Kruger, and D. Vine, "An Electronic Health Record for Infertility Clinics." *South African Journal of Obstetrics and Gynaecology* 20, no. 1 (2014).
- Westergaard, H. B., A. M. Tranberg Johansen, K. Erb, and A. Nyboe Andersen. "Danish National In-Vitro Fertilization Registry 1994 and 1995: A Controlled Study of Births, Malformations and Cytogenetic Findings." *Human Reproduction* 14, no. 7 (1999): 1896–1902.
- Westergaard, H. B., A. M. Tranberg Johansen, K. Erb, and A. Nyboe Andersen. "Danish National IVF Registry 1994 and 1995. Treatment, Pregnancy Outcome and Complications During Pregnancy." *Acta Obstetrica et Gynecologica Scandinavica* 79, no. 5 (2000): 384–89.

Table 3

Demographic Characteristics of Participants

Characteristics	Number of Participants
Specialty	
Gynecologist	6
Infertility fellowship	7
Gender	
Female	13
Male	0
Age (years)	
30–40	2
40–50	5
50–60	4
>60	2
Work experience (years)	
<10	2
10–20	3
20–30	7
>30	1

Table 4

Minimum Data Set and Classifications

Data Elements in the General Information Class	
Record number	
National identifier	
Age	
Education	
Occupation	
Phone number	
Husband age	
Husband occupation	
Husband phone number	
Data Elements in the Patient History Class	
Female	Male
General	Addiction (smoking, addictive drugs, alcohol)
Height	Any medical problem
Weight	Name of problem
Duration of marriage	Previous operations Name of operations
Previous marriage	Previous marriage
Number of children in previous marriage	Number of children in previous marriage
Addiction (smoking, addictive drugs, alcohol)	Diseases in family
Any medical problem	Infertility problems
Name of problem	Recurrent miscarriage
Previous operations	Difficulties with ejaculation
Name of operation	Difficulties with erection
Medication allergies	Exposure of genitals to excessive heat
Name of medications	Injury to genitals
Diseases in family	Infection of prostate glands, penis, or testicles
Cancer	
Premature menopause	
Birth defects	
Hormonal disorders	
Infertility problems	
Recurrent miscarriage	
Blood clots	
Family relationship	

Menstrual	
Duration of bleeding	
Usual menstrual interval	
Spotting between menses	
Premenstrual syndrome (PMS)	
Dyspareunia	
Galactorrhea	
Hirsutism	
Dysmenorrhea	
Number of intercourses per week	
Normal	
Lower than normal	
No intercourse	
Pregnancy	
Duration of infertility	
Form of contraception used	
Period of time of contraception used	
Number of previous pregnancies	
Number of children	
Previous treatment of infertility	
In vitro fertilization (IVF)/ intracytoplasmic sperm injection (ICSI)	
Intrauterine insemination (IUI)	
Induction of ovulation (IO)	
Drugs for IUI/IO	
Number of treatment cycles received	
Outcome of previous treatment	
Complications during or after pregnancy	
Number of preterm births	
Number of miscarriages	
Number of ectopic pregnancies	
Data Elements in the Paraclinical Reports Class	
Female	Male
Laboratory tests	Sperm motility
Thyroid-stimulating hormone (TSH)	Sperm count
Follicle-stimulating hormone (FSH)	Morphology
Prolactin	Venereal disease research laboratory (VDRL)
Luteinizing hormone (LH)	Human immunodeficiency virus (HIV) 1, 2
Anti-Mullerian hormone (AMH)	Hepatitis B surface antigen (HBsAg)
Fasting blood sugar (FBS)	Hepatitis C virus (HCV)
Complete blood count (CBC)	Human T-lymphotropic virus (HTLV) 1, 2
Pap smear	

Venereal disease research laboratory (VDRL)	
Human immunodeficiency virus (HIV) 1, 2	
Hepatitis B surface antigen (HBsAg)	
Hepatitis C virus (HCV)	
Human T-lymphotropic virus (HTLV) 1, 2	
Ultrasound	
Antral follicle count (AFC)	
Number of mature follicles	
Uterine	
Right ovary (RO)	
Left ovary (LO)	
Endometrial thickness	
Laparoscopy, Hysteroscopy	
Uterine cavity	
Right tube (RT)	
Left tube (LT)	
Right ovary (RO)	
Left ovary (LO)	
Data Elements of Treatment Plan (IVF/ICSI, IUI, IO) Class	
Cause of infertility	
Male factor	
Endometriosis	
Ovarian factors	
Hormonal problems	
Male severe (ICSI)	
Tubal pathology ovary	
Unexplained	
Mix	
Type of infertility (primary or secondary)	
Number of IUI/IO cycle	
Number of IVF/ICSI cycle	
Drugs for stimulation	
Gonadotropin dose	
Sperm catch	
Type of cycle	
Antagonist protocol	
Agonist protocol	
Long	
Poor	
Shanghai protocol	
Donor (embryo, oocytes, surrogate's uterus)	
Heterologous oocytes	
Autologous oocytes	
Number of oocytes	
Quality of oocytes	

Number of transferred embryos
Quality of transferred embryos
Stage of embryos (cells)
Embryo transfer (easy, difficult)
Number of frozen embryos
Thawed embryos for frozen embryo transfer
Data Elements of Treatment Outcome Class
Lost to follow-up of pregnancy
Clinical pregnancy
Intrauterine live pregnancy at week 7 or later
Gestational sacs
Fetal reductions
Miscarriage
Ectopic pregnancy

Figure 1

Systematic Review Flowchart





Figure 2

Data Validation Flowchart



Appendix 1

Delphi Technique Checklist Round 1

1- General Information		Removal=0 Retention=1	Rating (1-5)
1-1	Record number		
1-2	National code		
1-3	Age		
1-4	Occupation		
1-5	Education		
1-6	Phone number		
1-7	Husband national code		
1-8	Husband age		
1-9	Husband occupation		
1-10	Husband education		
1-11	Husband phone number		
Comments:			
Suggested Data Elements:			

2- History		Removal=0 Retention=1	Rating (1-5)
General (women)			
2-1	Height		
2-2	Weight		
2-3	BMI		
2-4	Race		
2-5	Previous marriage		
2-5-1	Number of pregnancies		
2-6	Duration of marriage		
2-7	Medication allergies		
2-7-1	Name of medications		
2-7-2	Type of reaction		
2-8	Any allergy		
2-9	Smoking		
2-9-1	Number of cigarettes in a day		
2-9-2	Number of years of consumption		
2-10	Addiction and/or alcohol consumption		
2-10-1	Number of glasses per week		
2-10-2	Name of drug		
2-11	Any medical problem		
2-11-1	Name of problem		
2-12	Previous operations		
2-12-1	Name of operation		
2-14-2	Treatment outcome		

2-13	Diseases in family		
2-13-1	Family relationship		
2-13-2	Infertility		
2-13-3	Premature menopause		
2-13-4	Hormonal disorders		
2-13-5	Recurrent miscarriage		
2-13-6	Colon cancer		
2-13-7	Uterine cancer		
2-13-8	Ovarian cancer		
2-13-9	Breast cancer		
2-13-10	Blood clot (emboli) or DVT		
2-13-11	Birth defects		
Comments:			
Suggested Data Elements:			
General (men)			
2-14	Previous marriage		
2-14-1	Number of children from previous marriage		
2-15	Smoking		
2-15-1	Number of cigarettes per day		
2-15-2	Number of years of consumption		
2-16	Drugs and alcohol consumption		
2-16-1	Number of glasses per week		
2-16-2	Name of drug		

2-17	Any medical problem		
2-17-1	Name of problem		
2-18	Previous operations		
2-18-1	Name of operation		
2-18-2	Treatment outcome		
2-19	Diseases in family		
2-19-1	Family relationship		
2-19-2	Infertility problems		
2-19-3	Recurrent miscarriage		
2-20	Difficulties with ejaculation		
2-21	Difficulties with erection		
2-22	Exposure of genitals to excessive heat		
2-23	Injury to genitals		
2-24	Infection of prostate glands, penis, or testicles		
Comments:			
Suggested Data Elements:			

Menstrual			
2-25	Number of bleeding days		
2-25-1	Maximum number of days		
2-25-2	Minimum number of days		
2-26	Spotting between menses		
2-27	Usual menstrual interval		
2-27-1	Maximum number of days		
2-27-2	Minimum number of days		
2-28	Premenstrual syndrome (PMS)		
2-28-1	Low		
2-28-2	Moderate		
2-28-3	Severe		
2-29	Number of intercourses per week		
2-29-1	Normal		
2-29-2	Lower than normal		
2-29-3	No intercourse		
2-30	Dyspareunia		
2-31	Hirsutism		
2-32	Galactorrhea		
2-33	Dysmenorrhea		
Comments:			
Suggested Data Elements:			

Pregnancy			
2-34	Number of previous pregnancies		
2-34-1	Number of children		
2-34-2	Was pregnancy natural or by ART?		
2-35	Duration of infertility		
2-36	Any complication during or after pregnancy		
2-36-1	Number of preterm births (before 37 weeks)		
2-36-2	Number of miscarriages		
2-36-3	Number of ectopic pregnancies		
2-37	Form of contraception used		
2-38	Previous treatment of infertility		
2-38-1	In vitro fertilization (IVF)/intracytoplasmic sperm injection (ICSI)		
2-38-2	Intrauterine insemination (IUI)		
2-38-3	Induction of ovulation (IO)		
2-38-3-1	Drugs for IUI/IO		
2-38-4	Number of treatment cycles received		
2-38-5	Outcome of previous treatment		
Comments:			
Suggested Data Elements:			

3- Paraclinical Reports		Removal=0 Retention=1	Rating (1-5)
Women			
3-1	Fasting blood sugar (FBS)		
3-2	Red blood cell count (RBC)		
3-3	White blood cell count (WBC)		
3-4	Hemoglobin		
3-5	Hematocrit		
3-6	Mean Corpuscular Hemoglobin(MCH)		
3-7	Mean Corpuscular Hemoglobin Concentration(MCHC)		
3-8	Mean Corpuscular Volume (MCV)		
3-9	Complete blood count (CBC)		
3-10	Blood group, Rh		
3-11	Cholesterol		
3-12	Triglycerides		
3-13	Venereal disease research laboratory (VDRL)		
3-14	Hepatitis C virus (HCV)		
3-15	Human immunodeficiency virus (HIV) 1, 2		
3-16	Hepatitis B surface antigen (HBsAg)		
3-17	Human T-lymphotropic virus (HTLV) 1, 2		
3-18	Rubella		
3-19	Follicle-stimulating hormone (FSH)		
3-20	Luteinizing hormone (LH)		
3-21	Estradiol (E2)		
3-22	Anti-Mullerian hormone (AMH)		
3-23	Progesterone		
3-24	Thyroid-stimulating hormone (TSH)		

3-25	Prolactin		
3-26	Testosterone		
3-27	Dehydroepiandrosterone		
3-28	Thrombophilia		
3-29	Pap smear		
3-30	Genetic testing		
3-31	Torch syndrome		
Ultrasound			
3-32	AFC		
3-33	Uterine		
3-34	Left ovary		
3-35	Right ovary		
3-36	Endometrial thickness		
Laparoscopy and hysteroscopy			
3-37	Uterine cavity (normal, abnormal)		
3-38	Right tube (open, blocked)		
3-39	Left tube (open, blocked)		
3-40	Right ovary		
3-41	Left ovary		
Comments:			
Suggested Data Elements:			

Men			
3-42	Semen analysis		
3-42-1	Sperm count		
3-42-2	Morphology		
3-42-3	Motility		
3-42-4	Degree of motility		
3-42-5	Ratio of progressive motile sperm		
3-43	Venereal disease research laboratory (VDRL)		
3-44	Hepatitis C virus (HCV)		
3-45	Human immunodeficiency virus (HIV) 1, 2		
3-46	Hepatitis B surface antigen (HBsAg)		
3-47	Human T-lymphotropic virus (HTLV) 1, 2		
Comments:			
Suggested Data Elements:			

4- Treatment Plan		Removal=0 Retention=1	Rating (1-5)
4-1	Type of infertility (primary or secondary)		
4-2	Cause of infertility		
4-2-1	Male factor		
4-2-2	Endometriosis		
4-2-3	Ovarian factors		
4-2-4	Hormonal problems		
4-2-5	Male severe (ICSI)		
4-2-6	Tubal pathology ovary		
4-2-7	Unexplained		
4-2-8	Mix		
4-3	Number of IUI/IO cycles		
4-4	Number of IVF/ICSI cycles		
4-5	Type of cycle		
4-5-1	Agonist (long, poor)		
4-5-2	Antagonist (flexible, fixed)		
4-5-3	Shanghai protocol		
4-5-4	Donor (embryo, oocytes, surrogate's uterus)		
4-6	Drugs for stimulation		
4-7	Gonadotrophins		
4-7-1	Type of gonadotrophins (follicle-stimulating hormone [FSH], luteinizing hormone [LH], Human Molecular Genetics(HMG))		

4-7-2	Number of ampoules		
4-7-3	Gonadotropin dose		
4-8	Number of mature follicles (day of Human Chorionic Gonadotropin (HCG))		
4-9	Number of oocytes		
4-10	Heterologous oocyte		
4-11	Antilog oocyte		
4-12	Fertilization method		
4-13	Sperm origin (husband, donor)		
4-14	Sperm catch (ejaculation, Testicular Sperm Extraction , Percutaneous Epididymal Sperm Aspiration, cryopreservation)		
4-15	Number of embryos		
4-16	Number of embryos cryopreserved		
4-17	Quality of embryo (A, B, C, D)		
4-18	Day of transfer (2, 3, 4, 5, 6)		
4-19	Stage of embryos (cells)		
4-20	Number of fresh embryos transferred		
4-21	Number of thawed embryos transferred		
4-22	Preimplantation genetic diagnosis (PGD) cycle		
4-23	Genetic disorder (monogenic, chromosomal)		
4-24	Preimplantation genetic screening (PGS) cycle		
4-25	Embryo transfer (easy/difficult)		
Comments:			
Suggested Data Elements:			

5- Treatment Outcome		Removal=0 Retention=1	Rating (1-5)
5-26	Lost to follow-up (pregnancy)		
5-26-1	Clinical pregnancy		
5-26-2	Intrauterine live pregnancy at week 7 or later		
5-26-3	Gestational sacs		
5-26-4	Fetal reductions		
5-26-5	Miscarriage		
5-26-6	Ectopic pregnancy		
5-27	Lost to follow-up of delivery		
5-28	Delivery (live birth, stillbirth)		
5-28-1	Mode of delivery		
5-28-2	Gestational weeks at delivery		
5-28-3	Birth weight		
5-28-4	Number of infants at delivery		
5-28-5	Sex of newborn		
5-29	Presence of complication		
5-29-1	Ovarian hyperstimulation syndrome (OHSS) requiring admission		
5-29-2	Thrombosis		
5-29-3	Pelvic infection, requiring admission		
5-29-4	Maternal death		
Comments:			
Suggested Data Elements:			