

Table 6 Odds Ratio (*p* value) and 95% Confidence Interval for Self-Care Discussion and EMR Use

Self-Care Element (Total Times Discussed)	Odds Ratio (<i>p</i> value) and 95% Confidence Interval for Physician-Initiated Self-Care Discussion	Odds Ratio (<i>p</i> value) and 95% Confidence Interval for Patient-Initiated Self-Care Discussion
Disease symptoms (38)	5.8 (0.04) 1.0146 59.1178	0.76 (0.74) 0.175 3.6752
Self-monitoring activities (31)	0.9 (1.0) 0.2328 4.3372	Infinity (0.09) 0.6422 +Inf
Discussion of medication use (50)	0.7 (0.75) 0.1585 3.1553	1.36 (0.75) 0.3169 6.3105
Diet (23)	1.6 (0.72) 0.322 10.6103	2.8 (0.6) 0.2976 136.547
Exercise (30)	2.8 (0.19) 0.5839 18.2576	0.25 (0.1) 0.0459 1.4156
Alcohol consumption (10)	2.8 (0.66) 0.2976 136.547	0.33 (0.45) 0.0041 28.3285
Cigarette smoking (15)	5.7 (0.14) 0.6733 266.401	Infinity (0.1) 0.0648 +Inf
Family/community support (13)	0.8 (1.0) 0.1183 10.284	0.66 (0.64) 0.0824 8.3967
Emotional distress (13)	Infinity (0.16) 0.5287 +Inf	1.87 (1.0) 0.1789 95.9665
Physical distress (38)	7.3 (0.07) 0.8653 334.136	1.5 (0.70) 0.3533 7.015