

Table 4

Counts of Patients by Diagnoses According to Search Criteria

Condition	ICD-9 Coding	Medicin Finding		Notes		Vitals		Unduplicated Count	Percent Missed with ICD-9 Coding Alone	Percent 65+
	Total	Total	Added	Total	Added	Total	Added			
Arthritis	84	99	23	0	0	.	.	107	21.5	2.7
Cognitive impairment	63	65	44	3	3	.	.	110	42.7	2.8
Dementia	142	162	28	5	0	.	.	170	16.5	4.3
Diabetes type 1	106	110	21	0	0	.	.	127	16.5	3.2
Diabetes type 2	1,178	533	12	11	2	.	.	1,192	1.2	30.3
Diabetic neuropathy	41	97	64	2	1	.	.	106	61.3	2.7
Diabetic retinopathy	43	61	22	2	2	.	.	67	35.8	1.7
Dizziness/vertigo	575	0	0	67	39	.	.	614	6.4	15.6
Epilepsy	48	71	41	0	0	.	.	89	46.1	2.3
Essential hypertension	2,400	2,574	340	38	6	224	27	2,773	12.2	70.5
Fear of falling	0	0	0	1	1	.	.	1	--	0.02
Gait/balance impairment	106	149	94	7	4	.	.	204	48.0	5.2
Hearing impairment	214	457	296	9	4	.	.	514	58.4	13.1
History of falls	51	72	37	47	45	.	.	133	61.7	3.4
Hypotension	117	102	2	4	0	74	66	185	36.8	4.7
Muscle weakness	90	261	135	2	2	.	.	227	60.4	5.8

Osteoporosis	466	465	259	27	9	.	.	734	36.5	18.7
Parkinson's disease	23	54	31	1	0	.	.	54	57.4	1.4
Vision impairment	9	460	455	10	6	.	.	470	98.1	12.0