

**Table 1**

## Facility Readiness for Technology Adoption

Nursing Home	Clinical Software (Vendor)	Wireless Internet Access			Browser Type and Version	Available Technology and Types				
		Yes/No	Reliable	Problems		Desktop and Monitor	Laptop	Handheld	iPad	iPhone
A	CareTracker (AOD)	Yes	Yes	No	IE 7/8	28	0	0	0	0
B	CareTracker (AOD)	Yes	Yes	No	IE 9	25	4	0	0	0
C	DartChart	Yes	No	Limited access	IE XP	13	0	0	0	0
D	MDI (MatrixCare)	Yes	Yes	No	IE 9	15	0	0	0	0
E	MDI (MatrixCare)	Yes	Yes	No	IE 7/8	18	0	0	0	0
F	MDI (MatrixCare)	Yes	Yes	No	IE 7/8	11	1	0	0	0
G	MDI (MatrixCare)	Yes	Yes	No	IE 7/8	21	1	0	0	0
H	MDI (MatrixCare)	Yes	Yes	No	IE	32	4	0	0	0
I	MDI (MatrixCare)	Yes	Yes	No	IE 7/8	12	0	0	0	0
J	MDI (MatrixCare)	Yes	Yes	No	IE 7/8	16	1	0	0	0
K	MDI (MatrixCare)	Yes	Yes	No	IE 8	20	0	0	0	0
L	SigmaCare	Yes	Yes	No	IE 9	14	16	14	0	0
M	OmniCare	Yes	Yes	No	IE	12	0	0	0	0
N	DartChart, Unix	Yes	Yes	No	IE	10	1	0	0	0
O	DartChart, Unix	Yes	Yes	No	IE	17	0	0	0	0
P	American HealthTech	Yes	No	Limited access	IE	28	6	0	0	0